
List of terms

The following is a list of terms and abbreviations used throughout this manual.

ACD

Automatic Call Distribution

AML

Applications Module Link

ANSI

American National Standards Institute

AST

Associate Set

APPL

Application

AWG

American Wire Gauge

B1CT

B-channel 1 Call Type

B2CT

B-channel 2 Call Type

Backup

64 kbps channel carrying D channel packet data

BC

Bearer Capability

B_D-channel

64 kbps B-channel carrying D channel packet data

BRA

Basic Rate Access

BRSC

Basic Rate Signaling Concentrator

ISDN BRI

ISDN Basic Rate Interface

ISDN BRIL

ISDN Basic Rate Interface Line

ISDN BRIP

ISDN Basic Rate Interface Packet

ISDN BRIT

ISDN Basic Rate Interface Trunk

CC

Clock Controller

CCITT

International Telegraph and Telephone Consultative Committee

CFNA

Call Forward No Answer

CFTA

Call Forward by Call Type Allowed

CFTD

Call Forward by Call Type Denied

CH	PRI Channel Number
CLIP	Calling Line Identification Presentation
CLIR	Calling Line Identification Restriction
CLS	Class of Service
CO	Central Office (local exchange)
COT	Local exchange Trunk
CPU	Central Processing Unit
CTD	Conditionally Toll Denied
CTYP	Card Type
CUN	Conditionally Unrestricted
CUST	Customer Number
DCH	D-Channel
DES	DSL Designator

DFDN

Default Directory Number

DID

Direct Inward Dial

DN

Directory Number

DSL

Digital Subscriber Loop

DTE

Data Terminal equipment

DTI

1.5 Mbps Digital Trunk Interface

DTI2

2.0 Mbps Digital Trunk Interface

EFD

Flexible External Call CFNA Directory Number

EHT

Hunt External Call Directory Number

ENET

Enhanced Network

ESN

Electronic Switching Network

ETSI

European Telecommunications Standards Institutes

FBA

Call Forward Busy Allowed

FBD	Call Forward Busy Denied
FDN	Flexible CFNA Directory Number
FEAT	Class of Service Features
FNA	Call Forward No Answer Allowed
FND	Call Forward No Answer Denied
FR1	Fully Restricted Class 1
FR2	Fully Restricted Class 2
FRE	Fully Restricted
HBTA	Hunting By Call Type Allowed
HBDT	Hunting By Call Type Denied
HDLC	High Level Data Link Control
HTA	Hunt Allowed
HTD	Hunt Denied

HUNT

Hunt Directory Number

I/O

Input/Output

IE

Information Element

IPE

Intelligent Peripheral Equipment

ISDN BRI

Integrated Services Digital Network Basic Rate Interface

ISDN

Integrated Services Digital Network

ISM

Incremental Software Management

IVD

Integrated Voice and Data

LAPB

Link Access Procedure, Balanced

LAPD

Link Access Procedure on the D-channel

LDN

Listed Directory Number

LOOP

Loop Number

LTEI

Logical Terminal Identifier (LTID) and Terminal End-point Identifier (TEI)
Pair

LTG	Logical Terminal Group
LTID	Logical Terminal Identifier
LTN	Logical Terminal Number
MCAL	Maximum Number of Calls on a DSL at one time
MCDN	Meridian Customer Defined Networking
MCU	Micro Controller Unit
MDF	Main Distribution Frame
MHz	MegaHertz (Millions of cycles per second)
MISP	Multi-Purpose ISDN Signaling Processor
MODE	Network Terminal Mode
MPH	Meridian 1 Packet Handler
MPU	Main Processor Unit
MRA	Message Registration Allowed

MRD

Message Registration Denied

MSC

Maintenance Signaling Channel

MSDL

Multi-Purpose Serial Data Link

MTEI

Maximum Number of Terminal End-point Identifiers

MTSP

Maximum Number of TSPs Defined for a DSL

MUX

Multiplexed

MWA

Message Waiting Allowed

MWD

Message Waiting Denied

NCOS

Network Class of Service

NT

Network Termination

NT1

Network Termination 1 is a device that provides a conversion from a U to an S/T interface

NTAS

NT1 Adaptive Sampling

NTFS

NT1 Fixed Sampling

OSI	Open System Interconnect
OPX	Off Premise Extension
PBX	Private Branch Exchange
PE	Peripheral Equipment
PGPN	Protocol Group Number
PH	Packet Handler
PIC	Polyolefin Insulated Cable
PRA	Primary Rate Access
PRES	Presents/Restricts Calling Party Number Display
PRI	1.5 Mbps Primary Rate Interface
PRI2	2.0 Mbps Primary Rate Interface
PRID	Protocol ID
PSDL	Peripheral Software Downloading

PSDN

Packet Switched Data Network

PSTN

Public Switched Telephone Network

PULP

Paper-Pulp Insulated cable

RDI

Restricted DID

ROM

Read Only Memory

SAPI

Service Access Point Identifier

SDI

Serial Data Interface

SFA

Second Level Call Forward No Answer Allowed

SFD

Second Level Call Forward No Answer Denied

SILC

S/T Interface Line Card

SPID

Service Profile Identifier

SRE

Semi-Restricted

SSD

Scan and Signal Distributor

TCM	Time Compression Multiplexing
TA	Terminal Adapter used to adapt non-ISDN BRI terminals to ISDN BRI line interface
TE	Terminal Equipment
TEI	Terminal End-point Identifier
TGAR	Trunk Group Access Restriction
TID	Terminal Identifier
TLD	Toll Denied
TS	Time Slot
TSP	Terminal Service Profile
UDI	Unrestricted DID
UILC	U Interface Line Card
UNR	Unrestricted
USID	User Service Identifier

XLST

Pretranslation Group

X.121

CCITT recommendation for a numbering plan

X.2

CCITT recommendation for X.25 optional user facilities

X.25

CCITT recommendation for a connection-oriented Layer protocol